

**%AutoEntityLabel: 6ca47c74-001c-487c-8a6e-1238db26f98e%
2024**

4 900 000 GBP (Tax: Not Paid)

Athens, GR



Overview

Manufacturer:	Princess	Engines:	2 x MAN 1900 horsepower
Model:	X80	Engine Hours:	255
Type:	Flybridge, Motor Yachts, Mega Yachts	Year:	2024
LOA:	25.17 m / 82.58 ft	Price:	4 900 000 GBP

Gallery









Description

Designed by the renowned naval architects and designers, Olesinski, and in collaboration with the Italian design brand Pininfarina, Princess yachts bring you the X80 'Superfly'. Fashioning the latest avant-garde design, she is not trying to fit into a niche that already exists. While keeping design and style at the forefront, the X80 has been developed to offer the most versatile, accommodating experience and through this, ultimately, a unique boating lifestyle. One tailored to how each owner wishes to use their yacht. The X80 makes a statement wherever she goes, and her muscular yet timeless lines give her an air of perpetual motion, always ready to start her next adventure. In 2024, the Princess X80 was awarded the Motor Boat Award in the Custom Yachts category, by Motor Boat & Yachting. The judges commended its innovative "super flybridge" configuration, noting that this design has influenced subsequent developments within the crossover yacht sector, establishing the X80 as a pioneer in its field rather than a mere imitator. This X80 is in immaculate condition. She is in pristine shape and available for IMMEDIATE SALE AND DELIVERY

Specifications:

Builder		Accommodations	
Manufacturer:	Princess	Cabins:	7
Model:	X80	WC:	7
Year:	2024		
Hull Material:	Fiberglass		
Type:	Flybridge, Motor Yachts, Mega Yachts		
Designer Name:	Bernard Olesinski		
Dimensions		Speed	
LOA:	25.17 m / 82.58 ft	Cruising:	24 kn
Beam:	6.07 m / 19.91 ft	Maximum:	29 kn
Draft:	1.77 m / 5.81 ft		
Engines		Tank Capacities	
Manufacturer:	MAN	Total Fresh Water Tanks:	14000 liter
Model:	V12 1900	Total Fuel Tanks:	7000 liter
Year:	2024		
Power:	2 x 1900 horsepower		
Hours:	255		
Type of Drive:	Direct		
Type of Fuel:	diesel		
Tax Code			
Tax / VAT:	Not Paid		

Other Details:

Engines

MAN V12-1650 (2 x 1650 mhp)

Engine & Drive

Forward & aft engine room deck head to be insulated.

High volume air intakes

Engine room extractor fan with electronic time delay

Engine exhaust silencers and water-cooled exhausts

Forward and aft engine room bulkheads integrally bonded including acoustafoam layers

Engines flexibly mounted

Automatic fire extinguisher with remote override control

Automatic and manual bilge pumps

Propeller shafts in Marinemet

5-bladed propellers in nickel aluminium bronze

High speed balanced rudders

Cathodic protection for stern gear

Stern gear, engines, fuel tank fillers, etc all electrically bonded

LED Engine room lighting • Engine room access from transom (via crew) and cockpit deck hatch

Power-assisted electro-hydraulic steering system

Electronic engine and gear shift controls

Bow thruster with dual-station controls

Fresh water supply point in engine room • Dripless self-aligning shaft seals

ENGINES & DRIVE JOYSTICK AVENTICS (Single Station –pilothouse (operates both engines, bow thruster and stern thruster) Extended range fuel tank (additional 1,800 litres to give 8,800 litres total) Note: NOT available with optional grey water tank. Wing station (Third) controls in starboard side of flybridge coaming (engine controls, emergency engine stops and thruster controls). Note: This is located on the starboard side, next to the helm door

Deck fittings

Teak-laid transom platform, transom steps, cockpit deck, stairway to flybridge, side decks, steps to foredeck, flybridge aft sun deck and foredeck seating walkthrough areas

Reversible hydraulic anchor winches with foredeck, main helm and flybridge controls

Stemhead roller with automatic anchor launch and retrieve

Twin anchor system incorporating a Primary anchor - 80kg Galvanised Claw anchor with 100m of 14mm galvanised chain and a Secondary anchor – 50kg Galvanised Claw anchor with 70m of 14mm galvanised chain

Twin electric stern line mooring winches

Deck hatch access to chain locker, rope locker and engine room

Freshwater deck/anchor wash (with both fore and aft deck outlets)

Stainless steel bow, nose and stern fairleads

Stainless-steel bow spring cleats (1 pair, port & starboard)

Stainless-steel stern spring cleats (1 pair, port & starboard)

Stainless-steel guard rails to foredecks

Stainless steel flybridge handrails with glazed panel

Stainless steel handrails to main deck side decks

Foredeck escape hatch

Foredeck U-shaped seating area with removable coffee table drinks holders (4)

Twin coach roof lockers for storage of fenders, ropes and cushions

PVC rubbing band with stainless-steel insert

LED deck level lighting

Full set of IMCO navigation lights

Riding light

Twin beam searchlight with remote controls

Stern docking lights

Twin electric horns

Fuel and water fillers

Aft Cockpit and Bathing Platform

Self-draining

Upholstered U-shaped seating with storage below (for life-rafts)

Teak folding dining table

LED overhead and deck level lighting

Stainless-steel handrails

Stern docking (second) station controls portside including engine controls, follow on tiller, thruster controls and emergency engine stop

Remote control 4.5m telescopic passerelle with automatic folding handrails (1.2m overhang)

Watertight pantograph door giving access from bathing platform into crew area/engine room

Engine room to cockpit escape hatch

Stern lazarette and central transom locker with provision for optional 2x Seabob F5/F5 S/F5 SR storage & charging

Wash hand basin with mixer tap to portside

Starboard locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers

Integral stairway to flybridge with teak step treads

Twin transom gates leading to bathing platform

Electro-hydraulic teak laid raise/lower bathing platform (550kg SWL)

Retractable bathing ladder (manual) in side of bathing platform

Hot and cold transom shower

220/240v shore support inlet

Canvas cockpit cover & table cover

Naim Uniti Atom audio unit paired with JL Audio M6-650X-L (2) speakers

Helm Position

Enclosed pilot house (via sliding doors) with central leather upholstered seat with fore, aft adjustment

L-shaped companion seating to port (with deployable side table) and optional navigator seat to starboard

2-stage Sliding doors to fully enclose or open helm to skylounge area

Instrument console with display incorporating engine instruments, CCTV, fuel gauges, alarms and rudder position indicator

Helm position instrument and controls console:

power-assisted electro-hydraulic steering (SeaStar)

adjustable steering wheel

high-speed magnetic compass

electronic engine controls

bow thruster control

anchor winch remote control

colour radar (with scanner) and GPS/chart plotter (twin 19" displays)

1x 15" Böning display (plus additional display at switch panel)

autopilot

speed and distance log

echo sounder with alarm

VHF with DSC R/T with intercom

remote control dual searchlight

horn button (to operate twin electric horns)

audible and visual alarm for bilge pumps

engine room fire extinguisher warning system

Automatic fog horn with loudhailer

Chart storage

Drink holders

Toughened glass screen (clear for night vision) with windscreen de-mist system

Windscreen wipers with freshwater windscreen wash

Black mesh sunscreen (for windscreen)

Bilge pump controls with visual pump running warnings

24v and 240v electrical control panel

Riding light, helm and navigation light control switches

On/Off & dimmable LED overhead/concealed lighting (24V) with night lighting & scene selection

Watertight pantograph door giving direct access to starboard side foredeck walkthrough area

'V' groove planked timber flooring

220/240v outlets (1)

USB connection points (2)

Sky Lounge

Sofa & coffee table

55" 4K UHD LED TV on rise and fall

DVD Blu-ray system with Naim Uniti Atom audio system with speakers (2)

Sideboard with fridge and storage

Access stairway to main deck

Stainless steel opening glass patio doors to aft deck area

USB connection points (2)

On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection

Tinted panoramic toughened side windows

Glazed roof panels with powered blinds and slat feature

Manual roller blinds to all side windows

Manual curtains to aft door, stowed to port

V' groove planked timber flooring with rug inlay

220/240v outlets (1)

USB connection points (2)

Flybridge and Flybridge Foredeck

Standard layout is Flybridge aft deck area with 2x L-shaped sofas & 2x side tables. Port side L-shaped sofa can be adjusted to face forward or aft.

Dining table with chairs to accommodate 8 persons (10 for 5 cabin layout)

Naim Uniti Atom audio system with waterproof JL Audio M6-650X-L speakers (2) to aft end of flybridge

Clear view hatch to aft cockpit

Access stairway to aft cockpit

Stainless-steel handrails with glass balustrade to aft of flybridge deck

Storage lockers port/starboard

Aft wet bar unit with sink and tap, waste bin & storage. Solid surface counter top.

LED overhead and deck level lighting

Radar mast

Twin matching whip aerials for VHF R/T and radio

Covers to exterior furniture, defined as cockpit cover, cockpit table cover, flybridge table cover (includes zip in chair covers), flybridge wetbar cover, flybridge L-shaped seat covers (2), flybridge coffee table covers (2), flybridge dinette sofa, flybridge forward sunpad covers (2), foredeck seating cover & foredeck coffee table cover.

USB connection points (2)

Deck Saloon

Large L-shaped sofa to port with storage below

Sofa to starboard with storage below

Coffee table

55" 4K UHD LED TV on rise and fall.

DVD Blu-ray system and Naim Uniti Atom audio system with speakers (2) Servery unit with integrated drinks refrigerator

Glasses storage sideboard

Panoramic tinted toughened glass windows port and starboard

Triple stainless-steel framed cockpit doors

Access stairway to lower accommodation

Access stairway to skylounge

On/Off & dimmable LED overhead/ concealed lighting (24V) with scene selection

220/240v outlets (2)

USB connection points (4)

Manual roller blinds to all outboard windows

Manual curtains on wave track to aft patio doors, stowed to port

Fitted carpet

Onboard ethernet router & 4G/5G internet modem

Galley

Granite/quartz worktop

Open bar/servery layout with powered electric screen to fully enclose galley and sliding door

Miele 4-zone Induction hob

Hob extractor

Miele combination microwave/ convection oven with grill

1.5-bowl stainless-steel sink with mixer tap

Chopping board & storage

Full height refrigerator/deep freezer

Dishwasher • Icemaker Waste bin

Drawers and storage cupboards

Manual roller blinds to window

Pantograph door to starboard side deck

LED overhead and task lighting (24V)

220/240v outlets (4)

'V' groove planked timber flooring

Access to deck saloon via sliding door

Access to dinette via sliding door

Forward and Dining Area

Dining table with aft facing dinette seating and dining chairs (4)
Upholstered leather Sideboard unit with crockery, glassware and general storage
Entertainment unit with Naim Uniti Atom audio system and speakers (2)
220/240v power outlets (2) • USB connection points (2)
On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection
Full-height panoramic tinted toughened glass port window
Opening porthole (2) – note this is 3x when optional main deck master is specified
Manual roller blinds to outboard & forward windows
Fitted carpet

Day Toilet

Electric freshwater toilet
Wash hand basin and worktop in thermoformed Solid Surface
Storage cupboard
Manual tension venetian blind
Solid Surface flooring

Accommodations

All cabins and bathrooms feature opening portholes and air conditioning
All cabins feature 220/240v power points
All en-suites feature 240v shaver points

Master Stateroom

Large double bed with bedside tables and drawers below
Dressing area with full length mirror, hanging, shelf and drawer storage
Built-in safe
Port side dressing table with integrated mirror, chair, storage drawers and cupboards
Starboard side sofa with storage units
55" 4K UHD LED TV
DVD Blu-ray system connected to Naim Uniti Atom audio system with speakers (2) and subwoofer
Panoramic windows including opening portholes
Roman blinds to hull windows
On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection
220/240v outlets (2)
USB connection points (4)
Fitted carpet

En Suite Bathroom

Twin washbasins and worktop in thermoformed Solid Surface
Mirror
Storage lockers
Electric freshwater Toilet and option of separate bidet
Shower compartment with automatic pump out
Extractor fan
Heated towel rail
Window with opening porthole
Manual tension venetian blind
LED overhead and concealed lighting (24V)
Bathroom accessories
Solid surface flooring, with synthetic teak applied to shower area

Forward Stateroom

Large double bed with bedside tables and drawers below
Built-in safe
Twin double wardrobes
Port side dressing table with integrated mirror, stool & storage drawers
43" 4K UHD LED TV
DVD Blu-ray system connected to Naim Uniti Atom audio system with speakers (2) and subwoofer
Panoramic windows including opening portholes
Roman blinds and manual sheer roller blinds to hull windows
On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection
220/240v outlets (2)
USB connection points (4)
Fitted carpet

En Suite Bathroom FT

Washbasin and worktop in thermoformed Solid Surface
Mirror
Storage lockers
Electric freshwater Toilet
Shower compartment with automatic pump out
Extractor fan
Window with opening porthole
Manual tension venetian blind
LED overhead and concealed lighting (24V)
Bathroom accessories
Solid surface flooring, with Synthetic teak applied to shower area

Starboard Cuest Cabin

Double bed with drawers below
Bedside table
Dressing table with stool
Wardrobe with shelves
Mirror
Storage lockers
Window with opening portholes
Roman blinds
On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection
Individual berth lights
220/240v outlets (1)
USB connection point (2)
Fitted carpet

En Suite Bathroom SGC

Electric freshwater toilet
Washbasin and worktop in thermoformed Solid Surface
Mirror
Storage lockers
Shower compartment with automatic pump out
Extractor fan
Windows with opening porthole
Manual tension venetian blind
LED overhead and concealed lighting (24V)
Bathroom accessories
Solid surface flooring, with Synthetic teak applied to shower area

Port Guest Cabin

Two single beds with drawers below
Bedside table
Wardrobe with shelves
Mirror
Storage lockers
Window with opening portholes
Roman blinds
On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection
Individual berth lights
220/240v outlets (1)
USB connection point (2)
Fitted carpet

En Suite Bathroom PGC

Electric freshwater toilet

Washbasin and worktop in thermoformed Solid Surface

Mirror

Storage lockers

Shower compartment with automatic pump out

Extractor fan

Windows with opening porthole •

Manual tension venetian blind

LED overhead and concealed lighting (24V)

Bathroom accessories

Solid surface flooring, with Synthetic teak applied to shower area

Lobby / Passageway Area

Linen cupboard below companionway stairs

Top-loading storage unity outboard in window side liner

Space for optional combination washer/dryer below companionway stairs

On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection

Fitted carpet

Manual roller blind to window

Crew Quarters

N.B. All lower crew furniture is in white laminate, with Koko White Solid Surface (satin finish) bathroom vanity unit tops and Koko White Solid Surface (satin finish) bathroom floors

Crew Cabin Port

Twin single beds with storage below

Wardrobe with shelf

Mirror

Storage lockers

Opening porthole (2, port and aft) and venetian blinds

LED overhead lighting (24V) Individual berth light

220/240v outlets (1)

USB Connection points (2)

Non-slip safety flooring

Crew Cabin Starboard

Single bed with storage below
Wardrobe
Mirror
Storage locker
Opening porthole and venetian blind
LED overhead lighting (24V)
Individual berth light
220/240v outlets (1)
USB Connection points (2)
Non-slip safety flooring

Crew Bathroom

Electric freshwater toilet
Washbasin with Koko White (satin finish) solid surface worktop
Mirror
Storage lockers
Shower compartment with automatic pump out
Extractor fan
LED overhead lighting (24V)
Bathroom accessories
Solid Surface flooring in Koko white (satin finish)

Crew Area

Access from transom door
Access to engine room
Washing machine and separate tumble dryer (stacked). for all option scenarios including when Glendinning equipment is specified
LED overhead lighting (24V)
Non slip safety flooring

Fuel System

Main fuel tank with a total 7000 litres of fuel capacity (8800 litres if long range fuel tank is specified).
Fuel fillers to port and starboard
High capacity duplex fuel filters/water traps with integral changeover valves and water sensors connected to alarms at helm position
Remote fuel isolation controls in cockpit locker for main engines and generators
Fuel gauges at helm position

Air Conditioning

Air Conditioning/heating reverse cycle

270,000 BTU fan capacity with 216,000 BTU chiller capacity

suitable for temperatures to 40°C (tropical)

incorporating a windscreen demist facility.

The standard generator is suitable.

Outlets in all areas and any concentrations of AV equipment (if required)

Water System

Fresh water tanks giving 1500 litres capacity plus 200 litres hot water calorifier

Automatic water pump with filter (80l/min)

Water level gauge

Deck filler

Pump circuit breaker at main switch panel

Electric freshwater toilet system linked to 500 litres holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Optional Grey water tank to take waste water from sinks/showers, washing machine(s) and dishwasher

Bilge Pumps

Automatic/manual override electric bilge pumps in engine room, rudder area and forward accommodation

High capacity manual bilge system with suction points in the same areas

Electric bilge pumps have controls and warning lights with audible alarm at helm position

Extinguishers

Automatic engine room fire extinguisher system (with manual override) and warning system at helm position providing automatic shutdown of engines, generators and ventilation fans

Hand operated fire extinguishers in all guest cabins, galley, crew quarters and flybridge

Additional Information

Ensign staff

Fenders (8)

Mooring warps (4)

First Aid kit

Set of towels (8 large, 8 hand), NB: 10 sets with 5 cabin layout

Bed cover supplied to all cabins (except crew cabin)

Complete set of Lucrezia crystal glassware (8 settings consisting of tumbler, highball and wine glasses) NB: 10 settings with 5 cabin layout

Set of Sous Le Soleil crockery (8 settings consisting of plate, cake plate, dessert plate, bowl, cup & saucer) NB: 10 settings with 5 cabin layout • Set of stainless-steel cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces) NB: 10 settings with 5 cabin layout

Tool kit

Boat hook

Owner's manual and engine manual

Ship's document case

Finishes

Teak-laid decks to all external deck areas (including flybridge)

V grooved planked timber floor to galley, skylounge and wheelhouse

Furniture in choice of Alba oak, Rovere oak in satin finish as standard. Silver Oak or walnut with satin or gloss finishes available as an option.

Solid Surface in all bathroom suites in guest accommodation (including day head)

Thermoformed Solid Surface wash hand basin counter tops in all bathroom suites and day head

Galley worktop in granite or quartz

Choice of high-quality carpets and fabrics from extensive range

Curtains, blinds or sunscreens to all windows and portholes Crew cabins have fitted carpet, Crew bathrooms have Solid Surface floors and countertops

Non-slip safety flooring to crew mess and passageway

Hydraulics

Standard system comprises of separate engine driven hydraulic pumps allowing any system to be supplied with hydraulic power from either engine. Combining the bowthruster 340kgF (with proportional speed control) and windlass system.

Hydraulic Stern thruster (variable speed 320 KgF)

Stabilization

Sleipner Vector Fin stabilization system with VF1350 fins. When underway fins are driven by engine powered hydraulic pumps and at zero speed by a generator powered electric motor. This system is designed to provide roll control at speeds above 12 knots as well as zero speed stabilization. When the main engines are turned off the hydraulics are powered by an electric motor. (Note: Upgrade to two Kohler 28kW/50 Hz generators recommended)

Hull Colour

White Gel Coat Finish (with dark grey water line, black antifouling. Hull & bathing platform fendering is white with stainless steel insert)

Interior Furniture

Walnut interior wood satin finish (galley floor is V groove planked walnut as standard,

Skyounge (with inlaid rug*) and wheelhouse are in V groove planked Walnut as standard).

Forward dining/Main Deck Master Cabin - floor in V Groove planked Wenge flooring, in place of standard carpet finish

Galley floor in V groove planked Wenge in place of standard

Main deck Saloon floor to be in V-groove planked timber flooring (wood type same as standard galley flooring

Skyounge and wheelhouse to be in full in V Groove planked Wenge timber flooring, in place of standard

Layout

Standard lower deck layout four (4) cabins, incorporates aft master stateroom and forward stateroom, starboard stateroom and port side twin berth cabin, all en-suite.

Starboard galley with lifting screen, forward dining area with dinette sofa with 4 dining chairs.

Saloon with large U-shaped sofa and coffee table to port side of saloon and sofa to starboard side.

Crew accommodation in port (2 berths) and starboard (1 berth) cabins, crew bathroom (with separate shower), stacked separate washer & dryer and service corridor to access engine room.

Standard third deck layout is sundeck (with 2x L-shaped sofas with 2x side tables, wet bar (with sink and tap) and dining table for 8 (via 4x free standing chairs and an L-shaped dinette sofa), Skyounge (with sofa, coffee table, fridge and glass storage). Wheelhouse (with central helm, U-shaped companion seating) and foredeck sun pads.

Optional five (5) stateroom layout with additional forward main deck master stateroom and additional place settings for selected dining table options (10 place settings total).

Main deck master stateroom fit out includes a built in safe as standard. Includes electric curved blind to fwd window and electric day/night blind to port side full height glazing/hinged door (when selected), in place of manual.

Port cabin to have double berth conversion with powered sliding mechanism on inboard berth.

Saloon Dining area with dinette sofa and powered folding up/down/inboard/outboard coffee/dining table to seat 10, in place of standard saloon large U-shaped sofa (includes additional cutlery, crockery & glasses service sets) with free standing chairs (5) (Note: Optional storage in forward cabin is recommended, in order to store the additional free-standing chairs)

Forward cabin to have storage space, accessed through a hatch in the floor (Note: Recommended when optional saloon dining area is selected).

Optional skylounge layout (convertible dining area with dinette sofa with 4 dining chairs with standard layout and 6 chairs with optional main deck master cabin layout).

Powered folding up/down/fore/aft coffee/dining table in forward dining area in place of fixed dining table.

Hinged door to port side of main deck dinette/optional main deck master stateroom giving access to side deck/foredeck with opening porthole

2 x fixed bar stools in front of galley countertop/lifting screen

Flip up arm rests to helm seat (2).

Optional pilothouse navigator seat to starboard - Includes flip up arm rests (2)

Crew mess layout incorporates kitchenette, breakfast bar and 2 bar stools Starboard cabin is unaltered from standard.

Kitchenette is equipped with 2-zone hob, convection microwave oven, 117l fridge/17l freezer and mixer tap/sink (Note: This option is suitable with Glendenning's fitted). When this option is selected the standard port crew cabin aft bunk is removed and portside high level bunk is added to retain a two berth cabin. Sun pad conversion infill cushion for flybridge aft starboard L-shape seating unit. Combination bidet to Lower Deck Master Stateroom en-suite

Bathrooms

Bathroom floors have Carrera White Solid Surface (satin finish) as standard in master stateroom bathroom (including optional main deck master stateroom when selected), all guest bathrooms and day head. Wash basins, vanity tops and splashbacks are in thermoformed Sylmar White Solid Surface (satin finish). Feature shower bulkheads and shower floor to have synthetic teak accents as standard in master stateroom bathroom and all guest bathrooms.

Feature shower bulkheads and shower floor in Solid Surface (to match Solid Surface floor), in place of standard synthetic teak accents

Listed below are the granite, marble and quartz choices suitable for the bathroom floors – where applicable. The main deck day head floor is included in this option. (Note: Marble should have any stains removed immediately using the specialist cleaning kit provided).

When this option is selected, feature shower bulkheads and shower floor will also be in stone, in place of standard synthetic teak accents. (Main deck master is Price on Application)

Mystery White marble

Colour Scheme

Colour Scheme can be selected from the Quartz VIII or Milan X range of fabrics and Quartz III carpets as standard.

Additional charge for Platinum III leather upholstery in saloon (band B)

Deck Hardware

Teak decking to transom platform, transom steps, cockpit deck, stairway to flybridge, side decks, steps to foredeck, main foredeck area, flybridge aft sun deck and flybridge foredeck seating walkthrough area.

Note: The Princess X80 has an up/down electro hydraulic transom platform with 550Kg SWL fitted as standard (maximum recommended tender weight is 430kg) - suitable for up to a Williams Sportjet 395 or equivalent.

Spa bath on foredeck (includes increased calorifier and water pump capacity) in place of standard seating area.

Side entry gates to aft port & starboard side decks in addition to standard passerelle.

Mooring package with leather fender saddles (x8)

8mm teak decking upgrade throughout

Primary anchor 100kg stainless steel Ultramarine, with ultra-flip swivel fitted and stemhead extension carriage, secondary anchor 50kg stainless steel claw, in place of standard. Additional 50m, per side, of 14mm galvanised anchor chain (standard is 100m attached to 80kg anchor & 70m attached to 50kg anchor).

Electric aft awning fitted to upper deck (anthracite grey mesh) .

Plug in carbon pole transom shower and deck socket to bathing platform.

Cool box accessed from flybridge foredeck walkthrough area

Cockpit dining chairs (x3) – Kettal Net (frame in 741 claystone aluminium, cushions in 291 porous grey laminate and ropes in 441 woodland finish)

Foredeck flybridge electrically operated sunpad/seat conversion, in place of standard sunpad

Electrical

24VOLT: 4 x heavy duty batteries for engine starting

6 x heavy duty auxiliary batteries

Battery link facility with remote control at helm position

Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

1 x 100A charger, 1x 100A-3500W charger/inverter & 1x 6A charger (for generator battery)

Remote battery isolator control switches at main switch panel position

Circuit breakers on all circuits

24v to 12v converters for certain navigation and radio circuits

24v to 240v/50Hz inverter for saloon a/v, galley fridge and optional telephone system

Galvanic isolation system 220/240 Volt:

European specification: Up to 2 x 27kW @ 50Hz diesel generators in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel (single generator as standard)

220/240v shore power inlet

Shore power/generator change over control operated from main control panel

Polarity check system

Earth leakage safety trip, circuit breakers on all circuits

Power points (240v) in all cabins and living areas, helm position and galley

240v shaver points in washrooms

3kW immersion heater for fresh water

CCTV system with camera in aft cockpit and two fixed cameras in engine room, displayed on helm MFDs

Continental 220v/240v sockets Multi sockets, in place of standard sockets (throughout craft) * "please note that as these sockets will take various plug types it is the customers' responsibility to ensure that the appliance being plugged in matches the boats operating voltage. PYL cannot be held liable for equipment damage that results from a mismatch of voltages" (not for use in USA or Australia)

AGM 90Ah batteries in place of standard (for start, domestic and generator batteries) with upgraded generator option .

Passerelle wiring - in order to be able to use the remote control when the main battery master switches are off, the passerelle is wired directly to the domestic batteries via an isolation switch on the main AC/DC panel Dial in CCTV system with recording facility (note this requires a suitable data plan).

Additional CCTV cameras (each) – (up to 8) please specify location (Note: Standard CCTV system includes 2x fixed cameras in engine room 90l drawer refrigerator for cockpit servery)

Underwater transom lights (4x Lumishore THX 803 full colour interfaced with Radar/Chartplotter MFDs) .

Separate washer and condensor dryer in guest lobby area. Dryer located under stairs. Washer located inboard with full height cupboard above (in lieu of lobby sideboard).

Flybridge aft wet bar unit fitted with 90 litre drawer fridge

Flybridge starboard forward storage locker fitted with one 90 litre drawer fridge and one storage locker. Note: Not available with flybridge 43" exterior TV option Top loading cool box to aft end of flybridge dinette sofa. Note: Not available when optional crane is fitted.

Heated towel rail to bathroom (each – specify location) Note: Standard in lower deck Master Stateroom. For main deck Master option, a heated towel shelf is included)

Freshwater maker (190L/h) complete with remote instrumentation (to be incorporated into galley locker) and service/spares kit. (Note: Cannot be selected with the optional Spot Zero watermaker) (Note: Display to be fitted in wheelhouse) Additional combination washer/dryer machine located in guest lobby area (under the stairs)

Exterior lighting upgrade package (incorporated into scene selection) Includes additional flybridge lights, deck lights, side deck downlights, bow lights and cockpit fibre optic lenses Interior lighting upgrade package (incorporated into scene

selection) Includes under bunk LED strip lighting (excluding port cabin) and fibre optics to saloon headlining

Electric roman blinds in place of manual in lower deck master stateroom

Electric roman blinds in place of manual in all guest cabins

Electric roller blinds to all main deck living area windows (excluding day head area) including galley, passageway and lower stateroom lobby, in place of manual blinds. (Includes powered curved blind to forward dining/optional main deck master window and electric upgrade to port side glass/port patio door (when selected)

Electric curtains to Saloon aft patio doors in place of manual

Electric roller blinds to Sky lounge in place of manual - includes overhead blinds

Electric curtains to Sky lounge aft patio door in place of manual

Power Socket upgrade

Additional power sockets skylounge, deck saloon, galley, forward dining/main deck master option and all cabins, including crew quarters).

Qi wireless chargers to flybridge foredeck and main deck foredeck seating.

Saloon lamp on aft end of starboard sideboard unit (Porta Romana Baobab in plaster white, with a 16" tall cylindrical shade in natural linen

Master (lower) stateroom lamp on forward end of the port vanity unit

Porta Romana Hardy Lamp VLB61 with 18" straight oval in natural linen and card lining - base in dappled white

Generator

ONAN 27 kW/50 Hz generator fitted as standard (recommended with stabilization and/or Gulf spec. aircon) (Note: Incorporates the Kohler PGEN paralleling system providing automatic Start/Stop control of the second generator as required to meet the boat loading conditions).

Upgrade to two Kohler 28kW/50Hz generators, to be fitted in place of standard

Audio Visual and Communications

STANDARD AUDIO/VIDEO SYSTEM (5 cabin layout) – where selected 5 cabin layout with main deck Master Stateroom - includes the following zone in place of the Forward Dining Area in the package above:

Main deck Master Stateroom - 50" LED TV, Naim Uniti Atom audio system with Bluetooth, multi-zone streaming capability and dedicated app. Paired with Focal speakers (2) and a subwoofer.

Skyounge 55" TV connected to standard Audio system Cockpit seating area Audio Package Naim audio Uniti Atom system with Bluetooth, multi-zone streaming capability and dedicated app. Paired with JL Audio waterproof speakers (2) a subwoofer and an amplifier.

Flybridge foredeck Audio Naim Uniti Atom audio system with Bluetooth, multi-zone streaming capability and dedicated app. Paired with JL Audio waterproof speakers (2)

Starboard Cabin TV & Audio Package 32" Magic Mirror TV, Naim Uniti Atom audio system with Bluetooth, multi-zone streaming capability and dedicated app.. Paired with Focal speakers (2).

Foredeck seating walk-through area Audio Package Naim Uniti Atom audio system with Bluetooth, multi-zone streaming capability and dedicated app. Paired with JL Audio waterproof speakers (2)

Navigation

Standard Navigation equipment incorporates:

Raymarine Axiom XL Radar/Chartplotter with GPS & 2 x 15.6" display brilliant colour multifunction displays (with RMK-10 remote control) and Raymarine Cyclone Radar 55W pedestal with 4' open array scanner.

Raymarine p70Rs autopilot with rate gyro and i70s colour multifunction instruments (for speed, distance, trip, depth, depth alarm, water temperature etc).

1x Böning screen with the following functionality Engine instrumentation (including fuel levels & fuel flow) - Digital boat alarms - Lighting controls - AC/DC control & monitoring Raymarine Axiom XL multifunction 19" brilliant colour multifunction displays (2) in place of standard 15.6" displays at helm Additional Raymarine Axiom XL multifunction 19" brilliant colour multifunction display at helm with RMK-10 remote control keypad European version plotter charts

Raymarine AIS Class B transponder interfaced with chartplotters NB Automatic Identification System Class B both transmits and receives ship identification, position, course and speed information also please note the AIS installation price does not include final commissioning which must be carried out locally once ship's name, call sign and MMSI number are known

This craft is fitted with a Raymarine 90 Station VHF - to ensure correct unit is fitted, please indicate VHF/RT DSC registration. International VHF

Exterior Upholstery /Canvas/Cover

Fit reticulated foam to all fixed exterior cockpit and foredeck seating/sunbed in place of standard (to improve drainage) when optional foredeck spa bath is fitted

Please note: Craft are supplied with canvas cockpit covers as standard. Black mesh wheelhouse side screen covers, to attach to A-pillar Cockpit privacy screen

ACCESSORIES 8 place setting of china, cutlery & glasses are supplied as standard, additional place settings are available as follows (10 place setting if 5 cabin layout is selected)

Fender socks with Princess Logo (each) Grey

Spares

Spare set of anodes (hull, hydraulic platform & swim ladder)

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Contact

For more information about the %AutoEntityLabel: 6ca47c74-001c-487c-8a6e-1238db26f98e% 2024, contact the team.

Name: Octana Yacht Services P.C

Phone: (+30)2130123173

Email: sales@octana.gr